IN THE CLAIMS

Kindly amend the claims to read as follows:

- 1. (currently amended): A copolymer derived from the emulsion polymerization of
 - (a) <u>a at least one</u>-cationic monomer of formula (I),

wherein

R₁ is hydrogen or methyl,

R₂ is hydrogen or C₁-C₄alkyl,

 R_3 , R_4 and R_5 are independently from each other hydrogen or C_1 - C_4 alkyl,

n is a integer from 1-5, and

Y is a counterion,

and

(b) aat least one monomer of formula (II)

$$R_6$$
-CH=C-C-N R_9 (II)

wherein

R₆ signifies hydrogen or methyl,

R₇ signifies hydrogen or methyl, and

[[R₇,]]R₈ and R₉ signify independently from each other hydrogen or C₁-C₄alkyl, with the proviso that at least one of the substituents R₆, [[R₇,]]R₈ and R₉ is C₁-C₄alkyl,

and

- (c) optionally at least one cross-linking agent, which contains at least two ethylenically unsaturated moieties.
- (currently amended): A copolymer according to Claim 1 characterized in that it consists of 20 95 wt-% of <u>aat least one</u> monomer of formula (I) and of 5 50 wt-% of <u>aat least one</u> monomer of formula (II).

- (currently amended): A copolymer according to Claim 1 characterized in that it consists of 40 90 wt-% of <u>aat least one</u> monomer of formula (I) and of 10 40 wt-% of <u>aat least one</u> monomer of formula (II).
- 4. (previously presented): A copolymer according to claim 1 characterized in that the copolymer comprises 50 500 ppm of at least one cross-linking agent based on the total amount of the copolymer.
- 5. (previously presented): A copolymer according to claim 1 characterized in that

R₁ is hydrogen or methyl,

R₂ is hydrogen or methyl,

R₃, R₄ and R₅ are independently from each other hydrogen or methyl,

n is an integer from 1-4, and

Y is CI; Br; I; hydrogensulfate or methosulfate.

6. (currently amended): A copolymer according to claim 1 characterized in that

R₆ signifies hydrogen or methyl,

R₇ signifies hydrogen or methyl, and

R₈ signifies hydrogen or methyl, and

R₉ signifies hydrogen or methyl,

with the proviso that at least one of the substituents R_6 , [[R_7 ,]] R_8 and R_9 is methyl.

- 7. (currently amended): A copolymer according to Claim 1 derived from the polymerization of
 - (a) a cationic monomer of formula (I),

$$R_{1}-CH = C - C - C - CH_{2} - N - R_{4}$$

$$R_{1} - CH = C - C - CH_{2} - N - R_{4}$$

$$R_{2} - CH_{2} - R_{5}$$

$$R_{3} - R_{4}$$

$$R_{4} - CH_{2} - R_{4}$$

$$R_{5} - CH_{2} - R_{4}$$

$$R_{5} - CH_{2} - R_{4}$$

wherein

R₁, R₂, R₃, R₄ and R₅ are independently from each other hydrogen or methyl,

n is 1, 2 or 3, and

Y is a counterion, and

(b) a monomer of formula (II)

$$R_{6}-CH=C-C-N R_{9} (II)$$

wherein

R₆ signifies hydrogen or methyl, R₇ signifies hydrogen or methyl,

R₈ signifies hydrogen or methyl, and

R₉ signifies hydrogen or methyl,

with the proviso that at least one of the substituents R_6 , [[R_7 ,]] R_8 and R_9 is methyl, and

- (c) optionally at least one cross-linking agent selected from the group consisting of tetra allyl ammonium chloride; allyl-acrylamides and allyl-methacrylamides; bisacrylamidoacetic acid and N,N'-methylene-bisacrylamide,.
- 8. (currently amended): A copolymer according to Claim 7 derived from the polymerization of 20 95 wt-% of <u>aat least one</u> cationic monomer of formula (I), and

5-50 wt-% of <u>aat least one</u> monomer of formula (II)

and

50 – 500 ppm (based on the total amount of monomers) of at least one compound selected from the group consisting of tetra allyl ammonium chloride; allyl-acrylamides and allyl-methacrylamides; bisacrylamidoacetic acid and N,N'-methylene-bisacrylamide.

(previously presented): A copolymer according to Claim 1 derived from the polymerization of
 (a) 40 – 90 wt-% of a cationic monomer of formula (I),

$$R_{1}-CH = C - C - C - CH_{2} - N_{1} - R_{4}$$

$$R_{2} - CH_{2} - N_{1} - R_{4}$$

$$R_{5}$$
(I)

wherein

R₁ and R₂ are hydrogen,

 R_3 , R_4 and R_5 are methyl,

n is 1, 2 or 3, and

Y is Cl; Br; I; hydrogensulfate or methosulfate,

and

(b) 10 – 40 wt-% of a monomer of formula (II)

$$R_6 - CH = C - C - N \setminus R_9$$
 (II)

wherein

R₆ and R₇ signify hydrogen,

R₈ and R₉ signify methyl,

and

- (c) 100 300 ppm of tetra allyl ammonium chloride and/or N,N'-methylene-bisacrylamide.
- (previously presented): A method of preparing a water- and/or oil-based personal care composition which comprises incorporation of a copolymer according to claim 1 into said composition.
- 11. (currently amended): An oil/water- based personal care composition which comprises:
 - 0.5 10 wt-% of at least one copolymer according to Claim 1,
 - 2 25 wt-% of at least one oil-component,
 - 0 25_wt-% of at least one adjuvant and/or additive, and water up to 100 wt-%.
- 12. (previously presented): An oil-based personal care composition which comprises
 - 0.5 10 wt-% of at least one copolymer according to Claim 1,
 - 50 99 wt-% of at least one oil-component, and
 - 0 25 wt-% of at least one adjuvant and/or additive.
- 13. (previously presented): A copolymer according to claim 5 characterized in that

R₁ is hydrogen,

R₂ is hydrogen,

 R_3 , R_4 and R_5 are methyl,

n is an integer from 1-4, and

Y is Cl; Br; I; hydrogensulfate or methosulfate.

14. (currently amended): A copolymer according to claim 6 characterized in that

R₆ signifies hydrogen,

R₇ signifies hydrogen, and

R₈ signifies hydrogen or methyl, and

R₉ signifies <u>hydrogen or methyl</u>.

with the proviso that at least one of the substituents R₈ and R₉ is

methyl.

15. (currently amended): A copolymer according to claim 8 derived from the polymerization of 40 – 90 wt-% of <u>aat least one</u> cationic monomer of formula (I), and

10 - 40 wt-% of aat least one monomer of formula (II)

and

100 – 300 ppm (based on the total amount of monomers) of at least one compound selected from the group consisting of tetra allyl ammonium chloride and N,N'-methylene-bisacrylamide.